L15	L14	L13	L12		L10	. 19	Г8	L7	16	2	ᄓ				Ref
73	37	35	0		15	0	3689	75	153	. 298	46				Hits
714/1.ccls. and ((disk or storage) with failure)	706/17.ccls. and ((disk or storage))	706/18.ccls. and ((disk or storage))	706/18.ccls. and ((disk or storage) with failure)	706/17.ccls. and ((disk or storage) with failure)	706/3.ccls. and ((disk or storage))	706/3.ccls. and ((disk or storage) with failure)	"714".clas. and ((disk or storage) with failure)	"706".clas. and ((disk or storage) with failure)	@pd<"20030803" and L5	((disk or array) with monitor\$) and ((disk or array) with failure) and ((disk or array) with predic\$)	@pd<"20030820" and (failure with (prediction or identify)) and "code generator"	S68 and test\$	@pd<"20030820" and (add\$ with fuzzy) with rules)	@pd<"20030820" and ((add\$ with fuzzy) with rules)	Search Query
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	DBs
O _R	OR	O _R	OR .	OR.	O _R	OR .	OR	Q.	Q _R	Q _R	Q _R	Q R	Q.	Q.	Default Operator
9	O _N	O _N	9	Q Q	N N	9	S S	9 N	Q.	N _O	ON	Q Q	Q Q	Q.	Plurals
2006/12/06 13:41	2006/12/06 13:39	2006/12/06 13:39	2006/12/06 13:39	2006/12/06 13:40	2006/12/06 13:39	2006/12/06 13:39	2006/12/06 13:38	2006/12/06 13:37	2006/12/06 13:37	2006/12/06 13:06	2006/12/06 13:00	2006/12/06 09:35	2006/12/05 12:50	2006/12/05 12:50	Time Stamp

S14	S13	S12	S11	S10	<u>S9</u>	88	S7	98	S5	S4	S	S2	S1	Ш7	L16
1	285	0	, -	<u>ш</u>	. 0		~	0	œ	19	128	221	 	264	107
@pd<"20030820" and ((linguistic with variable) same (three with term))	@pd<"20030820" and (linguistic with variable)	@pd<"20030820" and (failure with prediction) and (linguistic with variable)	"20050044451" and "variable definition"	"20050044451" and (human with readable)	"20050044451" and neural	"20050044451" and genetic	@pd<"20030820" and ("failure prediction" same software) and fuzzy	@pd<"20030820" and ("failure prediction" with software) and fuzzy	@pd<"20030820" and ("failure prediction" with software)	@pd<"20030820" and ("failure prediction" same software)	@pd<"20030820" and "failure prediction" and software	@pd<"20030820" and "failure prediction"	"20050044451"	l16 or l15 or l14 or l13 or l10	714/25.ccls. and ((disk or storage) with failure)
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
Q _R	Я Я	S	Q _R	Я Я	Q _R	QR	OR.	OR.	O _R	Я Я	Q _R	Q _R	Q.	Q,	O _R
9	9	. 9	OFF.	OFF F	OFF F	OFF	OFF	OFF	OFF	OFF.	OFF	OFF	OFF	9	S S
2006/12/04 13:02	2006/12/04 13:00	2006/12/04 12:59	2006/12/04 12:50	2006/12/04 12:50	2006/12/04 13:46	2006/12/04 11:27	2006/12/04 11:05	2006/12/04 11:05	2006/12/04 11:05	2006/12/04 11:04	2006/12/04 11:04	2006/12/04 12:58	2006/12/05 15:17	2006/12/06 13:41	2006/12/06 13:41

S30	S29	528	S27	S26	S25	S24	S23	S22	S21	S20	S19	S18	S17	S16	S15
0	0	0	0	⊢	·	0	0	. 2	115	118	10	0	94	5029	ω
"6314377".pn. and train\$	"6314377".pn. and testing	"6314377".pn. and test	"6314377".pn. and test\$	"20050044451" and "code generator"	"6314377".pn. and computer	"6314377".pn. and processor	"6314377".pn. and procesor	@pd<"20030820" and ((predictive with failure) with analysis) and fuzzy	@pd<"20030820" and ((predictive with failure) with analysis)	@pd<"20030820" and ((predictive with failure) same (failure with analysis))	@pd<"20030820" and raid and (predict\$ with failure) and fuzzy	@pd<"20030820" and raid and (predict\$ with failure) and (text with editor)	@pd<"20030820" and raid and (predict\$ with failure)	@pd<"20030820" and raid	<pre>@pd<"20030820" and ((linguistic with variable) same (subject and adjective verb))</pre>
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
Sp.	· P	Q.	OR.	₽	Q.	QR ·	OR.	Q.	OR.	OR.	OR.	Я Я	OR.	O _R	Q _R
9	, Q	Q Q	O _N	OFF	O _N	. O	O _N	O _N	ON	9	ON	ON.	N _.	N N	ON N
2006/12/04 13:51	2006/12/04 13:49	2006/12/04 13:49	2006/12/04 13:49	2006/12/04 14:36	2006/12/04 13:49	2006/12/04 13:39	2006/12/04 13:39	2006/12/04 13:57	2006/12/04 13:23	2006/12/04 13:23	2006/12/04 13:22	2006/12/04 13:09	2006/12/04 13:13	2006/12/04 13:06	2006/12/04 13:06

S46	S45	S44	S43	S42	S41	S40	S39	538	S37	S36	S35	S34	S33	S32	S31
															
21	L	–	—	0	L		щ	75	148	0	<u> н</u>	0	–		0
@pd<"20030820" and (failure with algorithm) and "code generator"	@pd<"20030820" and disk.ab. and storage.ab. and failure.ab. and "code generator"	"20050044451" and "performance monitor"	"6314377".pn. and (data same input)	"6314377".pn. and (data with input)	"6314377".pn. and (data and input)	"6314377".pn. and (data and gather)	"6314377".pn. and data	@pd<"20030820" and disk.ab. and (storage.ab. with failure.ab.)	@pd<"20030820" and disk.ab. and storage.ab. and failure.ab.	"6314377".pn. and formula	"6314377".pn. and generate\$	"6314377".pn. and algorithm\$	"6314377".pn. and code	"6314377".pn. and adapter	"6314377".pn. and modify\$
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
유	Я Я	Q.	, OR	Q.	Q.	Q.	Q.	Я Я	OR.	Q.	OR	OR.	Q _R	OR.	OR.
Q.	Q	OFF	ON	9	9	9	O _N	O _N	ON .	9 S	O _N	O _N	S S	O _N	8
2006/12/04 14:40	2006/12/04 14:39	2006/12/04 15:04	2006/12/04 14:36	2006/12/04 14:36	2006/12/04 14:36	2006/12/04 14:35	2006/12/04 15:12	2006/12/04 14:54	2006/12/04 14:38	2006/12/04 13:54	2006/12/04 14:35	2006/12/04 13:54	2006/12/04 13:52	2006/12/04 13:52	2006/12/04 13:51

2006/12/04 15:38	NO	유	US-PGPUB; USPAT	S61 and S62	0	S63
2006/12/04 15:38	Q Q	OR.	US-PGPUB; USPAT	@pd<"20030820" and "linguistic variables"	159	S62
2006/12/04 15:38	9	Q _R	US-PGPUB; USPAT	@pd<"20030820" and "code generator"	7533	S61
2006/12/04 15:38	Q.	OR.	US-PGPUB; USPAT	@pd<"20030820" and "code generator" and "linguistic variables"	0	S60
2006/12/04 15:37	N O	OR.	US-PGPUB; USPAT	@pd<"20030820" and "code generator" and "linguistic variables" and (text with editor)	0	S59
2006/12/04 15:19	9	OR.	US-PGPUB; USPAT	@pd<"20030820" and (failure with (prediction or identify)) and "code generator" and ((storage or disk) with failure)	ъ	S58
2006/12/04 15:37	9	OR	US-PGPUB; USPAT	@pd<"20030820" and (failure with (prediction or identify)) and "code generator" and (storage or disk)	39	S57
2006/12/04 15:16	9	· Q	US-PGPUB; USPAT	@pd<"20030820" and (failure with (prediction or identify)) and "code generator" and (storage or disk or memory)	44	S56
2006/12/04 15:12	9	Q _R	US-PGPUB; USPAT	"6314377".pn. and Learn\$	0	S54
2006/12/04 15:12	9	OR.	US-PGPUB; USPAT	"6314377".pn. and train\$	0	S53
2006/12/04 15:12	Q Q	Q _R	US-PGPUB; USPAT	"6314377".pn. and test\$	0	S52
2006/12/04 15:12	Q Q	Q _R	US-PGPUB; USPAT	"6314377".pn. and test	0	S51
2006/12/04 15:04	OFF	Q.	US-PGPUB; USPAT	"20050044451" and failure	Ľ	S50
2006/12/04 15:13	Q	Q _R	US-PGPUB; USPAT	@pd<"20030820" and (failure with prediction) and "code generator"	œ	S49
2006/12/04 14:54	Q Q	Q R	US-PGPUB; USPAT	@pd<"20030820" and (failure with prediction)	803	S48
2006/12/04 14:40	9	OR.	US-PGPUB; USPAT	@pd<"20030820" and ((failure with algorithm) with (storage or memory or disk)) and "code generator"	0	S47

															
579	S78	S77	S76	S75	S74	S73	572	571	570	S69	568	S67	S66	S65	S64
0	0	4	0	0	0	10	и	ω	. 0	ω	4	<u> </u>	26	194	ω
<pre>@pd<"20030820" and failure.ab. and prediction.ab. and (predefin\$ with recommen\$)</pre>	@pd<"20030820" and failure.ab. and prediction.ab. and (predefined with recommen\$)	@pd<"20030820" and failure.ab. and prediction.ab. and recommendation	<pre>@pd<"20030820" and failure.ab. and prediction.ab. and (list\$ with recommendation)</pre>	@pd<"20030820" and failure.ab. and prediction.ab. and (list with recommendation)	@pd<"20030820" and failure.ab. and prediction.ab. and (predefined with recommendation)	@pd<"20030820" and (predefined with solutions) and ((disk or array) with failure)	@pd<"20030820" and ((predefined with recommendation) same (disk or array or storage))	@pd<"20030820" and (predefined with recommendation) and ((disk or array or storage) with failure)	@pd<"20030820" and (predefined with recommendation) and ((disk or array) with failure)	S68 and (test or testing)	"6446081".pn. or "4907230".pn. or "5471313".pn. or "6314377".pn.	@pd<"20030820" and (edit with ("text editor")) and ((gather or collect) with (information or data)) and (edit\$ with algorithm)	@pd<"20030820" and (edit with ("text editor")) and ((gather or collect) with (information or data))	@pd<"20030820" and (edit with ("text editor"))	@pd<"20030820" and "code generator" and (noun same (adjective same verb))
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
OR	Q.	Q _R	O _R	Q _R	Я Я	Я Я	OR.	Q _R	S	S	S	Я	Q _R	O _R	Q _R
ON	O _N	9	9	9	N N	N N	S.	Q N	Q Q	9	9	N N	9	9	9
2006/12/05 11:00	2006/12/05 11:00	2006/12/05 11:08	2006/12/05 10:49	2006/12/05 10:49	2006/12/05 10:49	2006/12/04 16:52	2006/12/05 10:48	2006/12/04 16:48	2006/12/04 16:52	2006/12/04 16:39	2006/12/04 16:38	2006/12/04 16:38	2006/12/04 16:46	2006/12/04 16:05	2006/12/04 16:04

Page 6

S95	S94	S93	S92	S91 ·	S90	589	888	587	586	S85	S84	S83	S82	S81	\$80
. 0	L		0	ш	0	. 0	ш	0	8	298	2404	42373	0	0	2
"6314377".pn. and rule	"6314377".pn. and fuzzy	"6314377".pn. and cpu	"6314377".pn. and processor	"20050044451" and (notification)	"20050044451" and (notafication)	"20050044451" and (notofication)	"20050044451" and (loss with risk)	"20050044451" and (lost with risk)	((disk or array) with monitor\$) and ((disk or array) with failure) and ((disk or array) with predic\$) and fuzzy	((disk or array) with monitor\$) and ((disk or array) with failure) and ((disk or array) with predic\$)	((disk or array) with monitor\$) and ((disk or array) with failure)	((disk or array) with monitor\$)	"6553369".pn. and alert\$	"6553369".pn. and notifica\$	@pd<"20030820" and prediction.ab. and (predefin\$ with recommen\$)
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
Q.	Q.	Q _R	Q.	OR.	Q.	Q.	Q _R	OR.	OR.	O _R	Я Я	OR.	Q.	Q.	Q _R
Q.	OFF	OFF	OFF	OFF.	유	유	OFF	OFF	Q N	9	9	Q N	9 N	Q Q	9
2006/12/05 12:45	2006/12/05 12:45	2006/12/05 12:42	2006/12/05 12:28	2006/12/05 11:42	2006/12/05 11:37	2006/12/05 11:37	2006/12/05 11:37	2006/12/05 11:28	2006/12/05 11:12	2006/12/06 13:05	2006/12/05 11:10	2006/12/05 11:09	2006/12/05 11:07	2006/12/05 11:07	2006/12/05 11:01

US-PGPUB; OR USPAT		"20050078869" and (image with recognition)	H	S11.
US-PGPUB; OR	US-I	"20050078869" and facial	J -4	S10
US-PGPUB; OR USPAT		"20050044451" and (adjusting with "fuzzy variable")	}	S10 8
US-PGPUB; OR USPAT		"20050044451" and (less with three)	}	S10 7
US-PGPUB; OR USPAT		"20050044451" and (less with four)	J-4	S10
US-PGPUB; OR USPAT	ith cost)	@pd<"20030820" and ((data with risk) with failure) and ((repair with cost) with failure)	2	S10
US-PGPUB; OR USPAT	with	@pd<"20030820" and ((data with risk) with failure) and ((remedy with cost) with failure) $$	0	S10 4
US-PGPUB; OR USPAT	il with	@pd<"20030820" and ((data with risk) with failure) and ((remedial with cost) with failure)	0	S10 3
US-PGPUB; OR USPAT	ith fuzzy)	@pd<"20030820" and (((add or adding or addition or additional) with fuzzy) with rule) and (data with risk) and cost	ω	S10 2
US-PGPUB; OR USPAT	ith fuzzy)	$\mbox{@pd}\mbox{<"}20030820"$ and (((add or adding or addition or additional) with fuzzy) with rule)	260	S10
US-PGPUB; OR USPAT		"4907230".pn. and fuzzy	0	0 0
US-PGPUB; OR USPAT		"6446081".pn. and rule	}_	599
US-PGPUB; OR USPAT		"6446081".pn. and fuzzy	0	S98
US-PGPUB; OR USPAT		"6553369".pn. and rule		S97
US-PGPUB; OR USPAT		"6553369".pn. and fuzzy	. 0	596